

## 1 Identification of substance

- **Product details**
- **Trade name:** 38343 Vinyl Prep
- **Article number:** 38343
- **Manufacturer/Supplier:**  
SEM Products, Inc.  
651 Michael Wylie Dr.  
Charlotte, NC 28217  
USA  
(704)522-1006
- **Information department:** 24HR EMERGENCY CHEMTREC 800-424-9300

## 2 Composition/Data on components

- **Chemical characterization**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

34590-94-8	(2-methoxymethylethoxy)propanol	50-100%
68476-85-7	Petroleum gases, liquefied	10-25%
1336-21-6	ammonia solution 26%	≤ 2.5%

## 3 Hazards identification

- **Hazard description:**



Irritant  
Extremely flammable

- **Information pertaining to particular dangers for man and environment:**

The product has to be labelled due to the calculation procedure of international guidelines.

Warning! Pressurized container.

Extremely flammable.

Irritating to eyes, respiratory system and skin.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

66.0 % by mass of the contents are flammable

Keep out of the reach of children.

- **Classification system:**

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- **NFPA ratings (scale 0 - 4)**



Health = 2  
Fire = 4  
Reactivity = 0

(Contd. on page 2)

Printing date 06/01/2005

Reviewed on 09/08/2004

Trade name: 38343 Vinyl Prep

(Contd. of page 1)

· **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	4	Fire = 4
REACTIVITY	0	Reactivity = 0

#### 4 First aid measures

- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.

#### 5 Fire fighting measures

- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Protective equipment:** No special measures required.

#### 6 Accidental release measures

- **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents

#### 7 Handling and storage

- **Handling:**
- **Information for safe handling:** Open and handle receptacle with care.
- **Information about protection against explosions and fires:**  
Do not spray on a naked flame or any incandescent material.  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Keep respiratory protective device available.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Observe official regulations on storing packagings with pressurized containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Do not gas tight seal receptacle.

(Contd. on page 3)



Printing date 06/01/2005

Reviewed on 09/08/2004

**Trade name: 38343 Vinyl Prep**

(Contd. of page 2)

Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.

## 8 Exposure controls and personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Components with limit values that require monitoring at the workplace:**

### 34590-94-8 (2-methoxymethylethoxy)propanol

PEL	600 mg/m <sup>3</sup> , 100 ppm
	Skin
REL	Short-term value: 900 mg/m <sup>3</sup> , 150 ppm
	Long-term value: 600 mg/m <sup>3</sup> , 100 ppm
TLV	Short-term value: 909 mg/m <sup>3</sup> , 150 ppm
	Long-term value: 606 mg/m <sup>3</sup> , 100 ppm
	Skin

### 68476-85-7 Petroleum gases, liquefied

PEL	1800 mg/m <sup>3</sup> , 1000 ppm
REL	1800 mg/m <sup>3</sup> , 1000 ppm
TLV	(1800) mg/m <sup>3</sup> , (1000) ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.  
Use suitable respiratory protective device in case of insufficient ventilation.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014



Printing date 06/01/2005

Reviewed on 09/08/2004

Trade name: 38343 Vinyl Prep

(Contd. of page 3)

## · Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

## · General Information

**Form:** Aerosol  
**Color:** According to product specification  
**Odor:** Characteristic

## · Change in condition

**Melting point/Melting range:** Undetermined.  
**Boiling point/Boiling range:** < -17°C (< 1°F)

· **Flash point:** < -17°C (< 1°F)

· **Ignition temperature:** 270.0°C (518°F)

· **Auto igniting:** Product is not selfigniting.

· ~~Danger of explosion:~~  
· Explosion limits:

**Lower:** 1.1 Vol %  
**Upper:** 14.0 Vol %

· **Vapor pressure at 20°C (68°F):** 0.4 hPa (0 mm Hg)

· **Density at 20°C (68°F):** 0.87 g/cm<sup>3</sup>

## · Solubility in / Miscibility with

**Water:** Not miscible or difficult to mix.

## · Solvent content:

**Organic solvents:** 58.3 %  
**VOC content:** 58.3 %  
 644.0 g/l / 5.37 lb/gal

· **Solids content:** 0.3 %

## 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions** No dangerous reactions known.
- **Dangerous products of decomposition:** No dangerous decomposition products known.

## 11 Toxicological information

## · Acute toxicity:

## · LD/LC50 values that are relevant for classification:

**34590-94-8 (2-methoxymethylethoxy)propanol**

Oral LD50 5135 mg/kg (rat)

Dermal LD50 >19000 mg/kg (rab)

(Contd. on page 5)

USA



Printing date 06/01/2005

Reviewed on 09/08/2004

Trade name: 38343 Vinyl Prep

(Contd. of page 4)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

## 12 Ecological information

- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## 13 Disposal considerations

- **Product:**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **DOT regulations:**



- **Hazard class:** 2.1
- **Identification number:** UN1950
- **Packing group:** -
- **Proper shipping name (technical name):** AEROSOLS, flammable
- **Label:** 2.1

- **Land transport ADR/RID (cross-border):**



- **ADR/RID class:** 2 5F Gases
- **Danger code (Kemler):** 23
- **UN-Number:** 1950
- **Packaging group:** -
- **Label:** 2.1

(Contd. on page 6)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014



Printing date 06/01/2005

Reviewed on 09/08/2004

Trade name: 38343 Vinyl Prep

(Contd. of page 5)

· **Description of goods:** 1950 AEROSOLS· **Maritime transport IMDG:**

· **IMDG Class:** 2.1  
 · **UN Number:** 1950  
 · **Label** 2.1  
 · **Packaging group:** -  
 · **EMS Number:** F-D,S-U  
 · **Marine pollutant:** No  
 · **Propper shipping name:** AEROSOLS

· **Air transport ICAO-TI and IATA-DGR:**

· **ICAO/IATA Class:** 2.1  
 · **UN/ID Number:** 1950  
 · **Label** 2.1  
 · **Packaging group:** -  
 · **Propper shipping name:** AEROSOLS, flammable

## 15 Regulations

· **Sara**· **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

34590-94-8	(2-methoxymethylethoxy)propanol
68476-85-7	Petroleum gases, liquefied
1336-21-6	ammonia solution 26%
9036-19-5	Polyethylene glycol octylphenyl ether

· **Proposition 65**· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity:**

None of the ingredients is listed.

· **Cancerogenity categories**· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

(Contd. on page 7)

# Material Safety Data Sheet

acc. to ISO/DIS 11014



Printing date 06/01/2005

Reviewed on 09/08/2004

Trade name: 38343 Vinyl Prep

(Contd. of page 6)

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Product related hazard informations:**

The product has been classified and marked in accordance with directives on hazardous materials.

· **Hazard symbols:**

Irritant

Extremely flammable

· **Hazard-determining components of labelling:**

Petroleum gases, liquefied

· **Risk phrases:**

Extremely flammable.

Irritating to eyes, respiratory system and skin.

· **Safety phrases:**

Keep locked up and out of the reach of children.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

In case of insufficient ventilation, wear suitable respiratory equipment.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Avoid exposure - obtain special instructions before use.

· **Special labeling of certain preparations:**

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

66.0 % by mass of the contents are flammable

Keep out of the reach of children.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Environment protection department.

· **Contact:** Mr. George Wallace

USA