U S Chemical & Plastics

For Chemical Emergency

CHEMTREC: 1-800-424-9300

An Alco Industries Company 600 Nova Drive SE Massillon, OH 44646

Massillon, OH 44646 CANUTEC: 1-613-996-6666 PH 330-830-6000 - FAX 330-830-6005 (For Canada call collect)

SECTION I - IDENTIFICATION OF PRODUCT

PRODUCT NAME: Autowriter Valve Action Marker

PRODUCT CODE: 37000, 37001, 37002, 37003, 37004, 37007, 37008, 37009

SYNONYM/CROSS REFERENCE:

SCHEDULE B NUMBER: 3215.90.0000

SECTION II - HAZARDOUS INGREDIENTS

INGREDIENTS WGT% CAS# TLV/PEL

NO HAZARDOUS INGREDIENTS PER 29 CFR 1910.1200

SECTION III - PHYSICAL DATA

APPEARANCE: Markers are various colors **SPECIFIC GRAVITY**: 1.331 - 1.337 **VAPOR PRESSURE (mmHG)**: N/E

BOILING POINT: 212⁰F

VAPOR DENSITY: Heavier than air

EVAPORATION RATE (Ethyl Ether = 1): Slower than Ethyl Ether

VOLATILES BY VOLUME: N/E **SOLUBILITY IN WATER**: Complete

VOC: Grams/Liter = < 5 Lbs/Gallon = < 0.05 SECTION IV - FIRE AND EXPLOSION DATA

FLASH POINT: Non-Flammable Water-Based Ink
LOWER FLAMMABLE LIMIT %: N/E
UPPER FLAMMABLE LIMIT %: N/E
FIRE EXTINGUISHING MEDIA: Water, Dry Chemical, Alcohol Foam, CO₂ - Non-flammable
SPECIAL FIRE FIGHTING PROCEDURES: None Known
UNUSUAL FIRE AND EXPLOSION HAZARD: None Known

SECTION V - HEALTH HAZARD/TOXICOLOGICAL PROPERTIES

OVEREXPOSURE EFFECTS:
ACUTE EFFECTS:
EYES: May cause eye irritation
SKIN: May cause skin irritation
INHALATION: None
INGESTION: May cause mild indigestion

CARCINOGEN: YES _____ NO _X___

CHRONIC EFFECTS: None known

TERATOGEN: YES ____ NO _X __ MUTAGEN: YES ___ NO _X __

PRIMARY ROUTES OF EXPOSURE: Skin, Ingestion, Eyes

FIRST AID:

INHALATION: Remove to fresh air. Seek medical attention as needed.

SKIN: Wash with soap and water. Seek medical attention as needed for hypersensitivity.

EYES: Immediately flush with water continuously for at least 15 minutes. Seek medical attention at once.

INGESTION: Do not induce vomiting. Call physician and seek medical attention.

| SECTION V I - REACTIVITY DATA | | | |
|---|--|-----------------|--|
| STABILITY: Stable CONDITIONS TO AVOID: No INCOMPATIBILITY MATER HAZARDOUS DECOMPOSIT HAZARDOUS POLYMERIZA | IALS TO AVOID: No TON PRODUCTS: No | | |
| SECTIO | N VII - SPILL ANI | D DISPOS | AL PROCEDURE |
| | | | ch as: vermiculite, dry clay absorbent or om entering drains, sewers or rivers. |
| WASTE DISPOSAL: Dispose of | of in accordance with loc | cal, state, and | federal regulations. |
| SECT | ION VIII - PROTI | ECTION I | NFORMATION |
| RESPIRATORY PROTECTION VENTILATION: As needed. | 71. Tione required. | | |
| EYE PROTECTION: Safety GI OTHER PROTECTIVE EQUI | asses or safety goggles. PMENT: Impermeable | | |
| | asses or safety goggles. PMENT: Impermeable X - HANDLING A | ND STOR | ent the staining of clothes. AGE PRECAUTIONS Always wash thoroughly after handling |
| EYE PROTECTION: Safety GI OTHER PROTECTIVE EQUI SECTION IX STORAGE AND HANDLING: product. | asses or safety goggles. PMENT: Impermeable X - HANDLING A | ND STOR | AGE PRECAUTIONS Always wash thoroughly after handling |

CALIFORNIA PROPOSITION 65:

This product does not contain any chemicals known to the State of California to cause cancer, birth defects or other reproductive harm may be present in this product.

SECTION 313 SUPPLIER NOTIFICATION:

This product contains the following toxic chemicals subject to the reporting requirements of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

CHEMICAL NAME CAS % BY WGT N/A

THIS INFORMATION MUST BE INCLUDED IN ALL MSDS'S THAT ARE COPIED AND DISTRIBUTED FOR THIS CHEMICAL

ABBREVIATIONS

IARC = International Agency for Research on Cancer

ACGIH = American Conference of Governmental Industrial Hygienists

NIOSH = National Institute of Occupational Safety and Health

TLV = Threshold Limit Value
PEL = Permissible Emission Level
DOT = Department of Transportation
NTP = National Toxicology Program

N/AV = Not Available N/AP = Not Applicable N/E = Not Established N/D = Not Determined

PREPARED BY: U S Chemical & Plastics

Alco Industries Companies 600 NOVA DRIVE SE MASSILLON, OH 44646

TELEPHONE NBR 330-830-6000

FAX NBR 330-830-6005

DATE REVIEWED: January 12, 2006
DATE REVISED: July 9, 2002
REVISION: Change to Section I

The information in the Material Safety Data Sheet has been compiled from our experience and from data presented in various technical publications. It is the user's responsibility to determine the suitability of this information for the adoption of the safety precautions as may be necessary. We reserve the right to revise Material Safety Data Sheets from time to time as new technical information becomes available. The user has the responsibility to contact the Company to make sure that the MSDS is the latest one issued.